

References

- [1] S. Ramaswamy, *The mechanics and statistics of active matter*, Annu. Rev. Condens. Matter Phys. **1**(1), 323 (2010).
- [2] S. Ramaswamy, *Active matter*, Journal of Statistical Mechanics: Theory and Experiment **2017**(5), 054002 (2017), doi:[10.1088/1742-5468/aa6bc5](https://doi.org/10.1088/1742-5468/aa6bc5).
- [3] J. Tailleur, G. Gompper, M. C. Marchetti, J. M. Yeomans and C. Salomon, *Active Matter and Nonequilibrium Statistical Physics: Lecture Notes of the Les Houches Summer School: Volume 112, September 2018*, vol. 112, Oxford University Press (2022).
- [4] L. Berthier and J. Kurchan, *Lectures on non-equilibrium active systems* (2019), [1906.04039](https://arxiv.org/abs/1906.04039).
- [5] S. Ramaswamy, R. A. Simha and J. Toner, *Active nematics on a substrate: Giant number fluctuations and long-time tails*, Europhysics Letters **62**(2), 196 (2003), doi:[10.1209/epl/i2003-00346-7](https://doi.org/10.1209/epl/i2003-00346-7).
- [6] H. Chaté, F. Ginelli and R. Montagne, *Simple model for active nematics: Quasi-long-range order and giant fluctuations*, Phys. Rev. Lett. **96**, 180602 (2006), doi:[10.1103/PhysRevLett.96.180602](https://doi.org/10.1103/PhysRevLett.96.180602).
- [7] V. Narayan, S. Ramaswamy and N. Menon, *Long-lived giant number fluctuations in a swarming granular nematic*, Science **317**(5834), 105 (2007), doi:[10.1126/science.1140414](https://doi.org/10.1126/science.1140414), <https://www.science.org/doi/pdf/10.1126/science.1140414>.
- [8] N. Kumar, S. Ramaswamy and A. K. Sood, *Symmetry properties of the large-deviation function of the velocity of a self-propelled polar particle*, Phys. Rev. Lett. **106**, 118001 (2011), doi:[10.1103/PhysRevLett.106.118001](https://doi.org/10.1103/PhysRevLett.106.118001).
- [9] N. Kumar, H. Soni, S. Ramaswamy and A. K. Sood, *Anisotropic isometric fluctuation relations in experiment and theory on a self-propelled rod*, Phys. Rev. E **91**, 030102 (2015), doi:[10.1103/PhysRevE.91.030102](https://doi.org/10.1103/PhysRevE.91.030102).
- [10] F. Cagnetta, F. Corberi, G. Gonnella and A. Suma, *Large fluctuations and dynamic phase transition in a system of self-propelled particles*, Phys. Rev. Lett. **119**, 158002 (2017), doi:[10.1103/PhysRevLett.119.158002](https://doi.org/10.1103/PhysRevLett.119.158002).
- [11] E. Woillez, Y. Zhao, Y. Kafri, V. Lecomte and J. Tailleur, *Activated escape of a self-propelled particle from a metastable state*, Phys. Rev. Lett. **122**, 258001 (2019), doi:[10.1103/PhysRevLett.122.258001](https://doi.org/10.1103/PhysRevLett.122.258001).
- [12] E. Woillez, Y. Kafri and V. Lecomte, *Nonlocal stationary probability distributions and escape rates for an active ornstein–uhlenbeck particle*, Journal of Statistical Mechanics: Theory and Experiment **2020**(6), 063204 (2020), doi:[10.1088/1742-5468/ab7e2e](https://doi.org/10.1088/1742-5468/ab7e2e).
- [13] T. Agranov, M. E. Cates and R. L. Jack, *Entropy production and its large deviations in an active lattice gas*, Journal of Statistical Mechanics: Theory and Experiment **2022**(12), 123201 (2022), doi:[10.1088/1742-5468/aca0eb](https://doi.org/10.1088/1742-5468/aca0eb).
- [14] J. Barré, C. Bernardin, R. Chétrite, Y. Chopra and M. Mariani, *From fluctuating kinetics to fluctuating hydrodynamics: A γ -convergence of large deviations functionals approach*, Journal of Statistical Physics **180**(1), 1095 (2020), doi:[10.1007/s10955-020-02598-w](https://doi.org/10.1007/s10955-020-02598-w).

- [15] N. R. Smith and O. Farago, *Nonequilibrium steady state for harmonically confined active particles*, Phys. Rev. E **106**, 054118 (2022), doi:[10.1103/PhysRevE.106.054118](https://doi.org/10.1103/PhysRevE.106.054118).
- [16] K. Yasuda and K. Ishimoto, *Most probable path of an active brownian particle*, Phys. Rev. E **106**, 064120 (2022), doi:[10.1103/PhysRevE.106.064120](https://doi.org/10.1103/PhysRevE.106.064120).
- [17] Y.-E. Keta, E. Fodor, F. van Wijland, M. E. Cates and R. L. Jack, *Collective motion in large deviations of active particles*, Phys. Rev. E **103**, 022603 (2021), doi:[10.1103/PhysRevE.103.022603](https://doi.org/10.1103/PhysRevE.103.022603).
- [18] R. L. Jack, *Ergodicity and large deviations in physical systems with stochastic dynamics*, The European Physical Journal B **93**, 1 (2020), doi:[10.1140/epjb/e2020-100605-3](https://doi.org/10.1140/epjb/e2020-100605-3).
- [19] E. Fodor, R. L. Jack and M. E. Cates, *Irreversibility and biased ensembles in active matter: Insights from stochastic thermodynamics*, Annual Review of Condensed Matter Physics **13**(Volume 13, 2022), 215 (2022), doi:<https://doi.org/10.1146/annurev-conmatphys-031720-032419>.
- [20] A. Lamtyugina, Y. Qiu, E. Fodor, A. R. Dinner and S. Vaikuntanathan, *Thermodynamic control of activity patterns in cytoskeletal networks*, Phys. Rev. Lett. **129**, 128002 (2022), doi:[10.1103/PhysRevLett.129.128002](https://doi.org/10.1103/PhysRevLett.129.128002).
- [21] W. D. Piñeros and Étienne Fodor, *Biased ensembles of pulsating active matter* (2024), [2403.16961](https://arxiv.org/abs/2403.16961).
- [22] Étienne Fodor, T. Nemoto and S. Vaikuntanathan, *Dissipation controls transport and phase transitions in active fluids: mobility, diffusion and biased ensembles*, New Journal of Physics **22**(1), 013052 (2020), doi:[10.1088/1367-2630/ab6353](https://doi.org/10.1088/1367-2630/ab6353).
- [23] U. Basu, S. N. Majumdar, A. Rosso and G. Schehr, *Long-time position distribution of an active brownian particle in two dimensions*, Phys. Rev. E **100**, 062116 (2019), doi:[10.1103/PhysRevE.100.062116](https://doi.org/10.1103/PhysRevE.100.062116).
- [24] A. Dhar, A. Kundu, S. N. Majumdar, S. Sabhapandit and G. Schehr, *Run-and-tumble particle in one-dimensional confining potentials: Steady-state, relaxation, and first-passage properties*, Phys. Rev. E **99**, 032132 (2019), doi:[10.1103/PhysRevE.99.032132](https://doi.org/10.1103/PhysRevE.99.032132).
- [25] T. Banerjee, S. N. Majumdar, A. Rosso and G. Schehr, *Current fluctuations in noninteracting run-and-tumble particles in one dimension*, Phys. Rev. E **101**, 052101 (2020), doi:[10.1103/PhysRevE.101.052101](https://doi.org/10.1103/PhysRevE.101.052101).
- [26] I. Santra, U. Basu and S. Sabhapandit, *Long time behavior of run-and-tumble particles in two dimensions*, Journal of Statistical Mechanics: Theory and Experiment **2023**(3), 033203 (2023), doi:[10.1088/1742-5468/acbc22](https://doi.org/10.1088/1742-5468/acbc22).
- [27] U. Basu, S. N. Majumdar, A. Rosso and G. Schehr, *Active brownian motion in two dimensions*, Phys. Rev. E **98**, 062121 (2018), doi:[10.1103/PhysRevE.98.062121](https://doi.org/10.1103/PhysRevE.98.062121).
- [28] S. N. Majumdar and B. Meerson, *Toward the full short-time statistics of an active brownian particle on the plane*, Phys. Rev. E **102**, 022113 (2020), doi:[10.1103/PhysRevE.102.022113](https://doi.org/10.1103/PhysRevE.102.022113).
- [29] J. O’Byrne, Y. Kafri, J. Tailleur and F. van Wijland, *Time irreversibility in active matter; from micro to macro*, Nature Reviews Physics **4**(3), 167 (2022), doi:[10.1038/s42254-021-00406-2](https://doi.org/10.1038/s42254-021-00406-2).

- [30] L. Touzo, P. L. Doussal and G. Schehr, *Interacting, running and tumbling: The active dyson brownian motion*, Europhysics Letters **142**(6), 61004 (2023), doi:[10.1209/0295-5075/acdabb](https://doi.org/10.1209/0295-5075/acdabb).
- [31] L. Touzo, P. Le Doussal and G. Schehr, *Fluctuations in the active dyson brownian motion and the overdamped calogero-moser model*, Phys. Rev. E **109**, 014136 (2024), doi:[10.1103/PhysRevE.109.014136](https://doi.org/10.1103/PhysRevE.109.014136).
- [32] M. Caraglio and T. Franosch, *Analytic solution of an active brownian particle in a harmonic well*, Phys. Rev. Lett. **129**, 158001 (2022), doi:[10.1103/PhysRevLett.129.158001](https://doi.org/10.1103/PhysRevLett.129.158001).
- [33] R. H. Damascena and C. C. de Souza Silva, *Noise-induced escape of a self-propelled particle from metastable orbits*, Phys. Rev. E **108**, 044605 (2023), doi:[10.1103/PhysRevE.108.044605](https://doi.org/10.1103/PhysRevE.108.044605).
- [34] N. R. Smith, *Nonequilibrium steady state of trapped active particles*, Phys. Rev. E **108**, L022602 (2023), doi:[10.1103/PhysRevE.108.L022602](https://doi.org/10.1103/PhysRevE.108.L022602).
- [35] C. Di Bello, A. K. Hartmann, S. N. Majumdar, F. Mori, A. Rosso and G. Schehr, *Current fluctuations in stochastically resetting particle systems*, Phys. Rev. E **108**, 014112 (2023), doi:[10.1103/PhysRevE.108.014112](https://doi.org/10.1103/PhysRevE.108.014112).
- [36] S. Mukherjee and N. R. Smith, *Large deviations in statistics of the convex hull of passive and active particles: A theoretical study*, Phys. Rev. E **109**, 044120 (2024), doi:[10.1103/PhysRevE.109.044120](https://doi.org/10.1103/PhysRevE.109.044120).
- [37] N. R. Smith, P. Le Doussal, S. N. Majumdar and G. Schehr, *Exact position distribution of a harmonically confined run-and-tumble particle in two dimensions*, Phys. Rev. E **106**, 054133 (2022), doi:[10.1103/PhysRevE.106.054133](https://doi.org/10.1103/PhysRevE.106.054133).
- [38] P. Jung and P. Hänggi, *Dynamical systems: a unified colored-noise approximation*, Physical review A **35**(10), 4464 (1987).
- [39] P. Hänggi and P. Jung, *Colored noise in dynamical systems*, Advances in chemical physics **89**, 239 (1995).
- [40] T. F. F. Farage, P. Krinninger and J. M. Brader, *Effective interactions in active brownian suspensions*, Phys. Rev. E **91**, 042310 (2015), doi:[10.1103/PhysRevE.91.042310](https://doi.org/10.1103/PhysRevE.91.042310).
- [41] L. Caprini, U. Marini Bettolo Marconi, A. Puglisi and A. Vulpiani, *Active escape dynamics: The effect of persistence on barrier crossing*, The Journal of chemical physics **150**(2), 024902 (2019).
- [42] M. Freidlin and A. Wentzell, *Random Perturbations of Dynamical Systems*, Springer-Verlag, 3dr ed. New York (2012).
- [43] A. J. Bray and A. J. McKane, *Instanton Calculation of the Escape Rate for Activation over a Potential Barrier Driven by Colored Noise*, Phys. Rev. Lett. **62**(5), 493 (1989), doi:[10.1103/PhysRevLett.62.493](https://doi.org/10.1103/PhysRevLett.62.493).
- [44] A. J. McKane, *Noise-induced escape rate over a potential barrier: Results for general noise*, Phys. Rev. A **40**(7), 4050 (1989), doi:[10.1103/PhysRevA.40.4050](https://doi.org/10.1103/PhysRevA.40.4050).
- [45] H. C. Luckock and A. J. McKane, *Path integrals and non-Markov processes. III. Calculation of the escape-rate prefactor in the weak-noise limit*, Phys. Rev. A **42**(4), 1982 (1990), doi:[10.1103/PhysRevA.42.1982](https://doi.org/10.1103/PhysRevA.42.1982).

- [46] M. M. Kłosek-Dygas, B. J. Matkowsky and Z. Schuss, *Colored Noise in Dynamical Systems*, SIAM J. Appl. Math. **48**(2), 425 (1988), doi:[10.1137/0148023](https://doi.org/10.1137/0148023).
- [47] J. F. Luciani and A. D. Verga, *Functional Integral Approach to Bistability in the Presence of Correlated Noise*, EPL **4**(3), 255 (1987), doi:[10.1209/0295-5075/4/3/001](https://doi.org/10.1209/0295-5075/4/3/001).
- [48] H.-K. Janssen, *On a Lagrangean for classical field dynamics and renormalization group calculations of dynamical critical properties*, Z. Physik B **23**(4), 377 (1976).
- [49] H.-K. Janssen, *Field theoretical methods applied to critical dynamics*, In C. P. Enz, ed., *Lecture notes in Physics: Dynamical critical phenomena and related topics*, vol. 104, p. 26. Springer, Berlin (1979).
- [50] C. D. Dominicis, *Techniques de renormalisation de la théorie des champs et dynamique des phénomènes critiques*, Le Journal de Physique Colloques **37**(C1), C1 (1976), doi:[10.1051/jphyscol:1976138](https://doi.org/10.1051/jphyscol:1976138).
- [51] C. De Dominicis and L. Peliti, *Field-theory renormalization and critical dynamics above T_c : Helium, antiferromagnets, and liquid-gas systems*, Phys. Rev. B **18**(1), 353 (1978).
- [52] P. C. Martin, E. D. Siggia and H. A. Rose, *Statistical Dynamics of Classical Systems*, Phys. Rev. A **8**(1), 423 (1973).
- [53] L. Pesquera, M. A. Rodriguez and E. Santos, *Path integrals for non-markovian processes*, Physics Letters A **94**(6), 287 (1983), doi:[10.1016/0375-9601\(83\)90719-3](https://doi.org/10.1016/0375-9601(83)90719-3).
- [54] P. Hänggi, *Path integral solutions for non-Markovian processes*, Z. Physik B - Condensed Matter **75**(2), 275 (1989), doi:[10.1007/BF01308011](https://doi.org/10.1007/BF01308011).
- [55] H. S. Wio, P. Colet, M. San Miguel, L. Pesquera and M. A. Rodríguez, *Path-integral formulation for stochastic processes driven by colored noise*, Phys. Rev. A **40**(12), 7312 (1989), doi:[10.1103/PhysRevA.40.7312](https://doi.org/10.1103/PhysRevA.40.7312).
- [56] A. J. Bray, A. J. McKane and T. J. Newman, *Path integrals and non-Markov processes. II. Escape rates and stationary distributions in the weak-noise limit*, Phys. Rev. A **41**(2), 657 (1990), doi:[10.1103/PhysRevA.41.657](https://doi.org/10.1103/PhysRevA.41.657).
- [57] A. J. McKane, H. C. Luckock and A. J. Bray, *Path integrals and non-Markov processes. I. General formalism*, Phys. Rev. A **41**(2), 644 (1990), doi:[10.1103/PhysRevA.41.644](https://doi.org/10.1103/PhysRevA.41.644).